

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re the application of:

Attorney Docket No.: 4062.24US02

Jose de la Torre-Bueno

Confirmation No.: 2608

Application No.: 10/822,561

Examiner: Colin M. LaRose

Filed: April 8, 2004

Group Art Unit: 2624

For: AUTOMATED MEASUREMENT OF CONCENTRATION AND/OR AMOUNT IN A  
BIOLOGICAL SAMPLE

---

SUBSTITUTION OF ATTORNEY

Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

Sir:

I hereby appoint the practitioners associated with **Customer Number 24113** to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith.

Address all telephone calls to: Douglas J. Christensen at telephone number (612) 349-3001.

Address all correspondence to:

Customer Number 24113  
Douglas J. Christensen  
Patterson, Thuent, Skaar & Christensen, P.A.  
4800 IDS Center, 80 South 8th Street  
Minneapolis, Minnesota 55402-2100

*Please grant any extension of time necessary for entry; charge any fee due to Deposit Account No. 16-0631.*

Application No. 10/822,561

Please reference Attorney Docket No. 4062.24US02 on all correspondence.  
Additionally, please charge any future fees to Deposit Account No. 16-0631.

All previous powers of attorney granted in this case are hereby revoked.

Carl Zeiss MicroImaging AIS, Inc., Assignee

Date: 2/26/08

Signature

Jack Zeimer  
Name Printed or Typed

Chief Science Officer  
Title